



# TUV T8

## TUV 18W 1SL

TUV T8 lamps are double-ended UVC (germicidal) lamps used in professional water and air disinfection units. TUV T8 lamps offer almost constant UV output over their complete lifetime, for maximum security of disinfection and high system efficacy. Moreover, they have a long and reliable lifetime, which allows maintenance to be planned for in advance.

### Product data

#### • General Characteristics

System Description	-
Cap-Base	G13
Bulb	T8
Main Application	Disinfection
Useful Life	9000 hr

#### • Light Technical Characteristics

Color Designation (text)	-
--------------------------	---

#### • Electrical Characteristics

Watts	18 W
Lamp Wattage Technical	16.7 W
Lamp Voltage	72 V
Lamp Current	0.265 A

#### • Environmental Characteristics

Mercury (Hg) Content	2.0 mg
----------------------	--------

#### • UV-related Characteristics

UV-C Radiation	4.5 W
----------------	-------

#### • Product Dimensions

Base Face to Base Face A	589.8 (max) mm
Insertion Length B	594.5 (min), 596.9 (max) mm
Overall Length C	604.0 (max) mm
Diameter D	28 (max) mm


#### • Product Data

Product number	133405
Full product name	TUV T8 F17 1SL
Short product name	TUV T8 F17 1SL/25
Pieces per Sku	1
eop_pck_cfg	25
Skus/Case	25
Bar code on pack	8711500264138
Bar code on case	8711500264145
Logistics code(s)	927941904020
eop_net_weight_pp	100.000 gr


# PHILIPS

sense and simplicity



## Dimensional drawing



Product	A (Max)	B (Min)	B (Max)	C (Max)	D (Max)
TUV TL-D 18W	589.8	594.5	596.9	604.0	28



## Photometric data



© 2011 Koninklijke Philips Electronics N.V.  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2011, October 8  
data subject to change